# GrackleDocs Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: GrackleDocs

Report Date: September 2<sup>nd</sup>, 2022

**Product Description:** Google add-on/extension

Contact Information: Amanda Mace amace@abledocs.com

Notes: N/A

#### **Evaluation Methods Used:**

This evaluation constitutes an accessibility audit of the GrackleDocs add-on based on 3 tools targeted for evaluation. These tools were selected by ADWebKey as representative of the overall accessibility and functionality of the add-on as a whole. The evaluation has been evaluated in accordance with the WCAG Evaluation Methodology (WCAG-EM) which can be viewed at <a href="http://www.w3.org/TR/WCAG-EM/">http://www.w3.org/TR/WCAG-EM/</a>. The tools have been audited manually and cross-checked using a team of website evaluators in order to ensure that the results and comments presented are valid and comprehensive.

## **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.1	Level A
	Level AA
	Level AAA

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

# **Table 1: Success Criteria, Level A**

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.1.1.1 (Web)	Supports	
Revised Section 508		
• 501 (Web)(Software)		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.1.2.1 (Web)	Not Applicable	
Revised Section 508		
• 501 (Web)(Software)		
1.2.2 Captions (Prerecorded) (Level A)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.1.2.2 (Web)	Not Applicable	
Revised Section 508		
• 501 (Web)(Software)		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.1.2.3 (Web)	Not Applicable	
Revised Section 508		
• 501 (Web)(Software)		
1.3.1 Info and Relationships (Level A)		Docs Accessibility Check: Document, "Images",
Also applies to:	Does Not Support	"Headings", "Tables", "Landmarks", "Contents" are
EN 301 549 Criteria		styled so they visually appear as headings however they
• 9.1.3.1 (Web)		are not programmatically defined.
Revised Section 508		

Criteria	Conformance Level	Remarks and Explanations
• 501 (Web)(Software)		The passes/fails/warnings in each of the sections are displayed as a list, however they have not been programmatically defined as a list.
		<b>Docs Document Properties:</b> There are missing labels for all of the input fields present.
		Slides Accessibility Check: "Grackle Slides", "Presentation", "Slides", "Tables", "Elements", "Contents" are styled so they visually appear as headings however they are not programmatically defined.
		The passes/fails/warnings in each of the sections are displayed as a list, however they have not been programmatically defined as a list.
		Slides Structure: Headings are styled so they visually appear as headings however they are not programmatically defined.
		There is content displayed as a list, however it has not been programmatically defined as a list.
		<b>Sheets Accessibility Check:</b> There are 2 checkboxes that are displayed within the "Tables" summary that are missing labels.
		"Sheets", "Tables", "Charts" and "Contents" are visually styled as headings, but do not have programmatic definitions.
		Sheets Table Structure: List headings in the main content area are visually styled as headings, but do not

Criteria	Conformance Level	Remarks and Explanations
		have programmatic definitions.
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.2 (Web) Revised Section 508 • 501 (Web)(Software)	Partially Supports	Docs Document Properties: Assistive technology cannot access and read the content of the modal. Only the placeholders within the forms are read out. Adding labels to the form fields should resolve this issue.  Slides Structure: With the 'Slides Structure' tab selected, screen reader focus moves through the 'Accessibility Check' tab first.
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.3 (Web) Revised Section 508 • 501 (Web)(Software)	Supports	
1.4.1 Use of Color (Level A)  Also applies to: EN 301 549 Criteria  • 9.1.4.1 (Web)  Revised Section 508  • 501 (Web)(Software)	Supports	
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria • 9.1.4.2 (Web) Revised Section 508 • 501 (Web)(Software)	Not Applicable	
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.1 (Web) Revised Section 508	Does Not Support	Slides Accessibility Check: There is no keyboard access to anything in the tool, apart from the close, re-check, and Export to PDF buttons.  Slides Structure: There is no keyboard access into the

Criteria	Conformance Level	Remarks and Explanations
• 501 (Web)(Software)		'Slides Structure' tab.
		Sheets Accessibility Check: There is no keyboard access
		to the hamburger menu button, or to elements in the
		main content area of the modal, including "Mark",
		"Unmark", "Merge" and "Unmerge" buttons, radio
		buttons, and buttons that link to cells in the sheet.
		Sheets Table Structure: There is no keyboard access to
		the dropdown menu items that appear from the
		"Actions" button, and nested content cannot be
		expanded or tabbed to using keyboard only.
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.1.2 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
2.1.4 Character Key Shortcuts (Level A 2.1 only)		
Also applies to:	_	
	Supports	
9.2.1.4 (Web)  Revised Section 508 - December		
Revised Section 508 – Does not apply  2.2.1 Timing Adjustable (Level A)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.2.2.1 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
2 2 2 Pause Ston Hide (Level A)		
Also applies to:	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria • 9.2.2.2 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
EN 301 549 Criteria	Cupports	
• 9.2.3.1 (Web)	Supports	
Revised Section 508		
• 501 (Web)(Software)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.4.1 (Web)	Supports	
Revised Section 508		
• 501 (Web)(Software) – Does not apply to non-web software		
2.4.2 Page Titled (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.4.2 (Web)	Supports	
Revised Section 508		
• 501 (Web)(Software)		
		<b>Docs Accessibility Check:</b> From the two tabs
		(Accessibility Check and Document Structure), focus is
2.4.3 Focus Order (Level A)		taken into the document checklist, then to the
Also applies to:		hamburger menu next to the two tabs, then to the close
EN 301 549 Criteria	Does Not Support	"X" to close the Grackle extension. Focus then moves to
• 9.2.4.3 (Web)		the "Re-check" and "Export to PDF" buttons. Focus then
Revised Section 508		moves to the two graphic icons below, but in reverse
• 501 (Web)(Software)		order. "Toggle details" then "Export as report".
		The focus order of the hamburger menu is also

Criteria	Conformance Level	Remarks and Explanations
		confusing in that the menu items appear
		programmatically before the hamburger graphic. A user
		needs to back-tab to access the menu after opening it,
		which is not expected behaviour.
		Docs Document Structure: From the two tabs
		(Accessibility Check and Document Structure), focus is
		taken into the document checklist, then to the
		hamburger menu next to the two tabs, moving up to the
		"Show items by type" dropdown, then to the close "X"
		to close the Grackle extension. Focus was then more
		confusing than the previous page.
		It appears to move between controls (including the
		close button) a couple of times before the "Refresh" and
		"Locate" buttons.
		The focus order of the hamburger menu is also
		confusing in that the menu items appear
		programmatically before the hamburger graphic. A user
		needs to back-tab to access the menu after opening it,
		which is not expected behaviour.
		Slides Structure: Keyboard focus appears to be moving
		through the 'Slides Structure' tab, however, it is actually
		moving through the previous 'Accessibility Check' tab.
		Sheets Table Structure: When attempting to tab into
		the main content area of the modal, focus is redirected
		into the Google sheet without warning to the user.
		into the Google sheet without warning to the user.

Criteria	Conformance Level	Remarks and Explanations
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria	Curananta	
• 9.2.4.4 (Web)	Supports	
Revised Section 508		
• 501 (Web)(Software)		
2.5.1 Pointer Gestures (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.5.1 (Web)		
Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.5.2 (Web)		
Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.5.3 (Web)		
Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.2.5.4 (Web)		
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.3.1.1 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
3.2.1 On Focus (Level A)	Partially Supports	Sheets Table Structure: When attempting to tab into

Criteria	Conformance Level	Remarks and Explanations
Also applies to:		the main content area of the modal, focus is redirected
EN 301 549 Criteria		into the Google sheet without warning to the user.
• 9.3.2.1 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
3.2.2 On Input (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.3.2.2 (Web)	Supports	
Revised Section 508		
• 501 (Web)(Software)		
3.3.1 Error Identification (Level A)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.3.3.1 (Web)	, тост, рршосте	
Revised Section 508		
• 501 (Web)(Software)		
3.3.2 Labels or Instructions (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.3.3.2 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
4.1.1 Parsing (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.4.1.1 (Web)		
Revised Section 508		
• 501 (Web)(Software)		
4.1.2 Name, Role, Value (Level A)		Slides Accessibility Check: Buttons like "Edit Title" in the
Also applies to:	Does Not Support	nested content do not have programmatically defined
EN 301 549 Criteria		roles or names.
• 9.4.1.2 (Web)		

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508		"Passed" and numbered fail issues elements are styled
• 501 (Web)(Software)		as clickable elements using JavaScript, but their specific
		programmatic role is not defined.
		Sheets Accessibility Check: "Passed" and numbered fail
		issues elements are styled as clickable elements using
		JavaScript, but their specific programmatic role is not defined.
		Docs Accessibility Check, Slides Accessibility Check,
		Slides Structure, Sheets Accessibility Check, Sheets
		Table Structure: Visually styled headings do not have
		programmatic definition (see 1.3.1).
		Docs Accessibility Check and Slides Structure: Visually
		presented list information does not have programmatic
		definition (see 1.3.1).
		Slides Accessibility Check, Slides Structure, Sheets
		Accessibility Check, Sheets Table Structure: No
		meaningful title specified for GrackleDocs iframe.

# **Table 2: Success Criteria, Level AA**

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)		
Also applies to:	Not Applicable	
EN 301 549 Criteria	Пос Арріїсавіе	
• 9.1.2.4 (Web)		

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508		
• 501 (Web)(Software)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.1.2.5 (Web)	пос дрисавіе	
Revised Section 508		
• 501 (Web)(Software)		
1.3.4 Orientation (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.1.3.4 (Web)		
Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.1.3.5 (Web)		
Revised Section 508 – Does not apply		
		Docs Accessibility Check, Slides Accessibility Check, and
		Sheets Accessibility Check: The white text of the
		numbered error indicators on a red background does
		not have a colour contrast ratio of at least 4.5:1.
1.4.3 Contrast (Minimum) (Level AA) Also applies to:		<b>Docs Document Structure:</b> The white text of the "+TAG"
EN 301 549 Criteria		button with a red background does not have a colour
• 9.1.4.3 (Web)	9.1.4.3 (Web) Section 508  Does Not Support	contrast ratio of at least 4.5:1.
Revised Section 508		Contrastratio of at least 4.3.1.
• 501 (Web)(Software)		Docs Accessibility Check and Slides Accessibility Check:
		The white text of the numbered error indicators on an
		orange background does not have a colour contrast
		ratio of at least 4.5:1.
		ratio of at least 4.5:1.

Criteria	Conformance Level	Remarks and Explanations
		Docs Accessibility Check: The white text of the "Re-
		Check" button with a blue background does not have a
		colour contrast ratio of at least 4.5:1.
		Docs Document Properties: The white text of the
		"Update" button with a blue background does not have
		a colour contrast ratio of at least 4.5:1.
		Docs Document Structure, Slides Structure, and Sheets
		Table Structure: The grey text on a white background,
		inside the "Preview" tags inside the "Structure" tabs
		does not have a colour contrast ratio of at least 4.5:1.
		Docs Accessibility Check, Docs Document Structure,
		Slides Accessibility Check, Slides Structure, Sheets
		Accessibility Check, and Sheets Table Structure: The
		dark grey text "GrackleDocs" and "Grackle Slides" on a
		grey background in the footer of the tool does not have
		a colour contrast ratio of at least 4.5:1.
1.4.4 Resize text (Level AA)		<b>Docs Document Properties:</b> When zoomed to 200% half
Also applies to:		of the modal is cut off.
EN 301 549 Criteria	Partially Supports	
• 9.1.4.4 (Web)	- a	Sheets Accessibility Check: Modal is inoperable, and
Revised Section 508  • 501 (Web)(Software)		text is not visible at 200% zoom.
1.4.5 Images of Text (Level AA)		
Also applies to:		
FN 301 549 Criteria	Supports	
• 9.1.4.5 (Web)		
Revised Section 508		
• 501 (Web)(Software)		

Criteria	Conformance Level	Remarks and Explanations
1.4.10 Reflow (Level AA 2.1 only)		Docs Accessibility Check, Docs Document Structure,
Also applies to:		Docs Document Properties, Slides Accessibility Check,
EN 301 549 Criteria	Does Not Support	Slides Structure, Sheets Accessibility Check, and Sheets
• 9.1.4.10 (Web)		<b>Table Structure:</b> Modals are inoperable at 400% zoom.
Revised Section 508 – Does not apply		
		Slides Accessibility Check: The light grey keyboard focus
		indicator around the "Export to PDF" button, on a white
1.4.11 Non-text Contrast (Level AA 2.1 only)		background, with no alternative does not have a colour
Also applies to: EN 301 549 Criteria	Partially Supports	contrast ratio of at least 3:1.
• 9.1.4.11 (Web)	raitially Supports	Slides Structure: The light grey keyboard focus indicator
Revised Section 508 – Does not apply		around the "Locate" button, on a white background,
,		with no alternative does not have a colour contrast ratio
		of at least 3:1.
		Docs Accessibility Check and Docs Document Structure:
		Other than the "Grackle Docs" heading, there appears
		to be no ability to increase text spacing.
		Docs Document Properties: Other than the "Document
1.4.12 Text Spacing (Level AA 2.1 only)		Properties" heading, there appears to be no ability to
Also applies to: EN 301 549 Criteria	Does Not Support	increase text spacing.
• 9.1.4.12 (Web)  Revised Section 508 – Does not apply	2 des riot support	Slides Accessibility Check and Slides Structure: The
		"Accessibility Check" tab overflows it's container,
		overlapping content when letter spacing is increased.
		Sheets Accessibility Check, and Sheets Table Structure:
		Text spacing cannot be increased using automated tool.
1.4.13 Content on Hover or Focus (Level AA 2.1 only)		Docs Accessibility Check, Docs Document Structure,
Also applies to:	Does Not Support	Slides Accessibility Check, Slides Structure, Sheets
EN 301 549 Criteria		Accessibility Check, and Sheets Table Structure: The

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>9.1.4.13 (Web)</li> <li>Revised Section 508 – Does not apply</li> </ul>		tooltips for the tab options and buttons, which pop up on hover, cannot be dismissed without moving the focus.
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.5 (Web) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software	Supports	
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.6 (Web) Revised Section 508 • 501 (Web)(Software)	Supports	
2.4.7 Focus Visible (Level AA)  Also applies to: EN 301 549 Criteria  • 9.2.4.7 (Web)  Revised Section 508  • 501 (Web)(Software)	Partially Supports	Sheets Accessibility Check: There is no visible focus for the "Mark", "Unmark", "Merge" and "Unmerge" buttons in the main content area.  Sheets Table Structure: There is no visible focus for the dropdown menu that appears under the "Actions" button, or for the nested list items in the main content area.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria • 9.3.1.2 (Web) Revised Section 508 • 501 (Web)(Software)	Not Applicable	
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria	Supports	

Criteria	Conformance Level	Remarks and Explanations
• 9.3.2.3 (Web)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
3.2.4 Consistent Identification (Level AA)		
Also applies to:		
EN 301 549 Criteria	Curananta	
• 9.3.2.4 (Web)	Supports	
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
3.3.3 Error Suggestion (Level AA)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.3.3.3 (Web)	пот Арріїсавіе	
Revised Section 508		
• 501 (Web)(Software)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
EN 301 549 Criteria	Not Applicable	
• 9.3.3.4 (Web)	Пот Арріїсавіе	
Revised Section 508		
• 501 (Web)(Software)		
4.1.3 Status Messages (Level AA 2.1 only)	Not Applicable	
Also applies to:		
EN 301 549 Criteria		
• 9.4.1.3 (Web)		
Revised Section 508 – Does not apply		

# Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
1.2.8 Media Alternative (Prerecorded) (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
1.2.9 Audio-only (Live) (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
1.3.6 Identify Purpose (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
		Docs Accessibility Check, Slides Accessibility Check, and
		Sheets Accessibility Check: The white text of the
		numbered error indicators on a red background does
		not have a colour contrast ratio of at least 7:1.
0.65		<b>Docs Document Structure:</b> The white text of the "+TAG"
1.4.6 Contrast (Enhanced) (Level AAA)	Daniel Mari Communi	button with a red background does not have a colour
EN 301 549 Criteria – Does not apply	Does Not Support	heets Accessibility Check: The white text of the umbered error indicators on a red background does of have a colour contrast ratio of at least 7:1.  ocs Document Structure: The white text of the "+TAG" utton with a red background does not have a colour ontrast ratio of at least 7:1.  ocs Accessibility Check and Slides Accessibility Check: the white text of the numbered error indicators on an
Revised Section 508 – Does not apply		
		Docs Accessibility Check and Slides Accessibility Check:
		The white text of the numbered error indicators on an
		orange background does not have a colour contrast
		ratio of at least 7:1.
		ו מנוס טו מנ ובמגנ י.ב.

Criteria	Conformance Level	Remarks and Explanations
		Docs Accessibility Check: The white text of the "Re-
		Check" button with a blue background does not have a
		colour contrast ratio of at least 7:1.
		Docs Document Properties: The white text of the
		"Update" button with a blue background does not have
		a colour contrast ratio of at least 7:1.
		Docs Document Structure, Slides Structure, and Sheets
		<b>Table Structure:</b> The grey text on a white background,
		inside the "Preview" tags inside the "Structure" tabs
		does not have a colour contrast ratio of at least 7:1.
		Docs Accessibility Check, Docs Document Structure,
		Slides Accessibility Check, Slides Structure, Sheets
		Accessibility Check, and Sheets Table Structure: The
		dark grey text "GrackleDocs" and "Grackle Slides" on a
		grey background in the footer of the tool does not have a colour contrast ratio of at least 7:1.
1.4.7 Low or No Background Audio (Level AAA)		a colour contrast ratio of at least 7.11.
· · · · ·	Not Applicable	
Revised Section 508 – Does not apply		
		Slides Accessibility Check, Slides Structure, Sheets
		Accessibility Check, Sheets Table Structure: "Grackle
1.4.8 Visual Presentation (Level AAA)	Curananta	Sheets by GrackleDocs Inc" is presented in italicised
EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	text. Although not a fail, italicised text can present
Revised Section 508 – Boes not apply		reading difficulties for dyslexic users.
1.4.9 Images of Text (No Exception) (Level AAA)		
	Supports	
Revised Section 508 – Does not apply		
2.1.3 Keyboard (No Exception) (Level AAA)	Does Not Support	Slides Accessibility Check: There is no keyboard access

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply		to anything in the tool, apart from the close, re-check, and Export to PDF buttons.
		Slides Structure: There is no keyboard access into the 'Slides Structure' tab.
		Sheets Accessibility Check: There is no keyboard access to the hamburger menu button, or to elements in the main content area of the modal, including "Mark", "Unmark", "Merge" and "Unmerge" buttons, radio buttons, and buttons that link to cells in the sheet.  Sheets Table Structure: There is no keyboard access to the dropdown menu items that appear from the
		"Actions" button, and nested content cannot be expanded or tabbed to using keyboard only.
2.2.3 No Timing (Level AAA)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
2.2.4 Interruptions (Level AAA)  EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	
2.2.5 Re-authenticating (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	
2.2.6 Timeouts (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	
2.3.2 Three Flashes (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	
2.3.3 Animation from Interactions (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
2.4.8 Location (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	
2.4.9 Link Purpose (Link Only) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	
2.4.10 Section Headings (Level AAA)  EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	
2.5.5 Target Size (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does Not Support	Docs Accessibility Check: The target size for the "Re-Check", "Export to PDF", "Export to report" and "Toggle details", and the "X" close, menu tabs and hamburger menu buttons do not have target areas of at least 44 x 44 pixels.  Docs Document Structure: The "Refresh" and "Locate", and the "X" close, menu tabs and hamburger menu buttons do not have target areas of at least 44 x 44 pixels.  Docs Document Properties: The input fields, "Update" and "Cancel" buttons, and the "X" to close the modal do not have target areas of at least 44 x 44 pixels.  Slides Accessibility Check, Slides Structure, Sheets Accessibility Check, Sheets Table Structure: The pointer target sizes for all interactive elements do not have target areas of at least 44 x 44 pixels.
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply	Does Not Support	Docs Accessibility Check, Docs Document Structure, Slides Accessibility Check, Slides Structure, Sheets

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		Accessibility Check, and Sheets Table Structure: When
		opening the hamburger menu button, or the nested
		content with a mouse, the user cannot switch to
		navigating using keyboard.
3.1.3 Unusual Words (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
3.1.4 Abbreviations (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
3.1.5 Reading Level (Level AAA)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
3.1.6 Pronunciation (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
3.2.5 Change on Request (Level AAA)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
3.3.5 Help (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		
3.3.6 Error Prevention (All) (Level AAA)		
EN 301 549 Criteria – Does not apply	Not Applicable	
Revised Section 508 – Does not apply		